


Grading Dropboxes on the Go!



Nick McDonald
Instructional Designer
Sinclair College

What will we learn today?


After attending this workshop, you will be able to:

- Identify where to download the D2L Assignment Grader
- Define key features of D2L Assignment Grader
- Describe different feedback tools within the app
- Apply D2L Assignment Grader to your courses



Introduction


The D2L Assignment Grader is available to download through Apple App Store for your iPad



Folder List > Folder Submissions

Folder Submissions


[Edit Folder](#) [Email Users Without Submissions](#) [Add Feedback Files](#) [Submission Log](#)



Want to evaluate submissions from your iPad? [Download the Desire2Learn Assignment Grader.](#)


Access to My Courses

Once the assignment grader app is downloaded, log in with your EduDentity account for full functionality



Stay Connected

The D2L Assignment Grader allows instructors to grade anywhere at anytime, including offline.




Save Time

Grade all your assignments quicker by using rubrics and publish with the push of a button.




Give Feedback

Directly edit your students' submissions by using the built in tools and leave voice/audio feedback.



Feedback Demonstration



Feedback Demonstration

SEIZURES/EPILEPSY
(Wong, Chapter 37)

Classification of Seizures

- **Partial**
 - Abnormal electrical discharge has a localized onset in one hemisphere
 - Many patients sense an Aura
 - **In & in LOC**
 - **Tend to have vacant "deer in headlights" look during a seizure**
- **Generalized**
 - Abnormal electrical discharge has broad onset in both hemispheres
 - Immediate LOC
 - Major muscle contractions

Types of Seizures:

1. Absence
 - Classification: Generalized
 - Onset between 5-12 yrs of age
 - Brief loss of consciousness
 - Short seizure consisting of periods of blinking, staring, chewing, turning of the head or other minor movements
 - Lasts 5-10 seconds, then child is quickly alert
 - Teachers accuse children of daydreaming
2. Myoclonic:
 - Classification: Generalized
 - Onset: late childhood
 - **Brief, sudden shock-like arrhythmic muscle contractions**
 - May be repetitive without loss of consciousness
3. Atonic:
 - Classification: Generalized
 - Onset between 2-5 yrs of age
 - Sudden, momentary loss of muscle tone causing sudden, brief head drops, stumbling or falling
 - **Lasts 10-15 seconds**
 - **May be repetitive**
4. Tonic-Clonic:
 - Classification: Generalized
 - Tonic phase: lasts about 10-30 seconds
 - Loss of consciousness
 - Clonic phase: lasting seconds to minutes
 - Intense rhythmic muscle contractions
 - May drool, foam at mouth or blow bubbles of saliva
 - Shallow breathing or may become apneic
 - May be incontinent

3. Partial Complex Seizure

Questions?

<https://www.d2l.com/resources/videos/d2l-assignment-grader/>